## Indiana State Department of Health Minimum Immunization Requirements for School Entry 2012-2013

Grade	Minimum Immunization Requirements
	A decay of dishable aris between a collular monthusis (DT-D), dishable aris between monthusis
	<ul> <li>4 doses of diphtheria-tetanus-acellular pertussis (DTaP), diphtheria-tetanus-pertussis</li> <li>(DTP), pediatric diphtheria-tetanus vaccine (DT), or any combination of the three are</li> </ul>
Dro Kindorgarton	
Pre-Kindergarten	required.  - 3 doses of either oral polio (OPV) or inactivated polio (IPV) vaccine in any combination.
	• 3 doses of Hepatitis B vaccine (3rd dose must be on or after 24 weeks of age).
	• 1 dose of measles (rubeola) vaccine on or after the first birthday.
	• 1 dose of mumps vaccine on or after the first birthday.
	• 1 dose of rubella (German measles) vaccine on or after the first birthday.
	• 2 doses of varicella (chickenpox) vaccine on or after the first birthday and
	separated by 3 months or physician written documentation of history of chickenpox disease, including month and year of disease.
	• 5 doses of diphtheria-tetanus-acellular pertussis (DTaP), diphtheria-tetanus-pertussis
	(DTP), or pediatric diphtheria-tetanus vaccine (DT) (4 doses are acceptable if the 4th
	dose was administered on or after the 4th birthday and at least 6 months after the 3rd
Kindergarten	dose).
	• 4 doses of any combination of IPV or OPV. The 4th dose must be administered on or
	after the 4th birthday, and at least 6 months after the previous dose. ( 3 doses of
	OPV or all IPV are acceptable if the 3rd dose was administered on or after the 4th
	birthday, and at least 6 months after the 2nd dose).
	■ 3 doses of Hepatitis B vaccine (3rd dose must be given on or after 24 weeks of age
	and no earlier than 16 weeks after the 1st does).
	<ul> <li>2 doses of measles (rubeola) vaccine on or after the first birthday.</li> </ul>
	<ul> <li>2 doses of mumps vaccine on or after the first birthday.</li> </ul>
	■ 1 dose of rubella (German measles) vaccine on or after the first birthday.
	- 2 doses of varicella (chickenpox) vaccine on or after the first birthday and separated
	by 3 months or physician written documentation of history of chickenpox disease,
	including month and year of disease.
	• 5 doses of diphtheria-tetanus-acellular pertussis (DTaP), diphtheria-tetanus-pertussis
Crado 1	(DTP), or pediatric diphtheria-tetanus vaccine (DT) (4 doses are acceptable if the 4th
Grade 1	dose was administered on or after the 4th birthday and at least 6 months after the 3rd dose).
	<ul> <li>4 doses of any combination of IPV or OPV by age 4-6 (3 doses of all OPV or all IPV</li> </ul>
	are acceptable if the 3rd dose was administered on or after the 4th birthday).
	3 doses of Hepatitis B vaccine (3rd dose must be given on or after 24 weeks of age
	2 doses of measles (rubeola) vaccine on or after the first birthday.
	2 doses of mumps vaccine on or after the first birthday.
	1 dose of rubella (German measles) vaccine on or after the first birthday.
	• 2 dose of varicella (chickenpox) vaccine on or after the first birthday or physician written
	documentation of history of chickenpox disease, including month and year of disease.

## Indiana State Department of Health

## Minimum Immunization Requirements for School Entry 2012-2013 Grade **Minimum Immunizations Requirements** 5 doses of diphtheria-tetanus-acellular pertussis (DTaP), diphtheria-tetanus-pertussis (DTP), or pediatric diphtheria-tetanus vaccine (DT), (4 doses are acceptable if the 4th Grade 2 dose was administered on or after the 4th birthday and at least 6 months after the 3rd dose). are acceptable if the 3rd dose was administered on or after the 4th birthday). 3 doses of Hepatitis B vaccine (3rd dose must be on or after 24 weeks of age). • 2 doses of measles (rubeola) vaccine on or after the first birthday. • 2 doses of mumps vaccine on or after the first birthday. 1 dose of rubella (German measles) vaccine on or after the first birthday. 2 doses of varicella (chickenpox) vaccine on or after the first birthday or written history of disease. Parental history of chickenpox disease is a se is acceptable proof of immunity. 5 doses of diphtheria-tetanus-acellular pertussis (DTaP), diphtheria-tetanus-pertussis (DTP), or pediatric diphtheria-tetanus vaccine (DT), (4 doses are acceptable if the 4th Grade 3-5 dose was administered on or after the 4th birthday and at least 6 months after the 3rd dose). 4 doses of any combination of IPV or OPV by age 4-6 (3 doses of all OPV or all IPV are acceptable if the 3rd dose was administered on or after the 4th birthday). • 3 doses of Hepatitis B vaccine (3rd dose must be on or after 24 weeks of age). • 2 doses of measles (rubeola) vaccine on or after the first birthday. • 2 doses of mumps vaccine on or after the first birthday. • 1 dose of rubella (German measles) vaccine on or after the first birthday. • 1 dose of varicella (chickenpox) vaccine on or after the first birthday or written history of disease. Parental history of chickenpox disease is acceptable proof of immunity. A signed written statement from the parent/guardian indicating month and year of disease is sufficient. 5 doses of diphtheria-tetanus-acellular pertussis (DTaP), diphtheria-tetanus-pertussis (DTP), or pediatric diphtheria-tetanus vaccine (DT), (4 doses are acceptable if the 4th Grade 6-12 dose was administered on or after the 4th birthday and at least 6 months after the 3rd dose). 4 doses of any combination of IPV or OPV by age 4-6 (3 doses of all OPV or all IPV are acceptable if the 3rd dose was administered on or after the 4th birthday). 3 doses of Hepatitis B vaccine (3rd dose must be on or after 24 weeks of age). 2 doses of measles (rubeola) vaccine on or after the first birthday. • 2 doses of mumps vaccine on or after the first birthday. • 1 dose of rubella (German measles) vaccine on or after the first birthday. 2 doses of varicella (chickenpox) vaccine on or after the first birthday separated by age appropriate interval or written history of disease. Parental history of chickenpox disease is acceptable proof of immunity. A signed written statement from the parent/guardian

indicating month and year of disease is sufficient.

1 dose of meningococcal conjugate (MCV4).

10 years of age.

1 dose of tetanus-diphtheria-accellular pertussis vaccine (Tdap) given on or after

Indiana State Department of Health
Minimum Immunization Requirements for School Entry
2012-2013